

Jungle Gym[®]





Kids

Children discover the world through play. They run, climb, crawl, laugh; they go in, out, up, down, across, behind and in between... They not only enjoy every second of it, play supports their development as well. With a Jungle Gym play set, you can let them play and explore in the safe and familiar environment of your own home. A Jungle Gym play set stimulates a child's imagination, creativity, movement, coordination and strength.

Since 1995, Jungle Gym has designed domestic wooden playground equipment and is known for its safety, durability and eye for detail. Our team of qualified designers works with a strict safety-first policy. Combined with our imagination, knowledge and experience, Jungle Gym has created this unique collection of play sets that meets every child's needs.



Jungle Gym B.V. P.O. Box 75083 NL 1070 AB Amsterdam The Netherlands info@junglegym.nl www.junglegym.info

Safe

Safety is the key factor in all our designs. They correspond to the safety guidelines for domestic and family use (EN 71-1, -2, -3, -8 & -9). The play sets contain many safety components such as slip-resistant rungs, handgrips, bolt protection caps, ground anchors and a Bumper Pad™. With these, you can create an exceptionally safe play area for your child.


Simple

Do-it-yourself kits from Jungle Gym make it very easy to put together your own play set. They all come with clear step-by-step instructions and an extended set with all of the assembly materials you need: hardware, connection brackets and drill bits.










Fun

With Jungle Gym, you put together a play set that brings outdoor fun for many years. All our play sets are expandable and can be customized with the addition of a wide variety of modules and accessories. There are towers for every taste, available area and budget. You can always decide to expand later so the play set can grow as your child grows. The towers come with fun extras such as a Jungle FlagTM, Jungle Gym IDTM and Jungling CardsTM to invite friends. Also, lots of towers already include fun accessories, for example, the Steering WheelTM, Talking TubeTM, Climbing RopeTM, PicNic-table, Fun PhoneTM and StarOscopeTM.









Complete

A Jungle Gym play set contains:



Jungle Gym ID™



An extended set with all the assembly materials, hardware and connection brackets



All needed drill bits



Handgrips



Metal ladder rungs and rung end covers



3D Level™



Sandpad



The Ground Anchors™ are used to anchor the playground equipment sturdily in the ground, so that it cannot tilt or shift



Bumper Pad™





towers 6



modules 25



ACCESSORIES 32



SLIDES 34



Safety Ball™



Bolt protection caps to safely protect the protruding bolt heads



Jungling Cards[™] to invite friends



The Cat Stop™, a net which will prevent cats getting into the sandpit and allow rainwater to evaporate



Jungle Flag™



Palace. • 1 Step Ladder™ Climbing Rocks™ PeekOscope™ **401_005** – The biggest climbing frame in our 3,80 m range with two levels! A sandpit or PicNic-table is an option. For an extension to this tower, see page 25. 3,00 m 4,10 m 332_100 332_200 332_300 1,80 m 332_400

Barn Incl. Climbing Rocks[™] • Steering Wheel™ **401_007** – A tough climbing tower with two levels of height and a unique roof design. The sandpit and challenging Rock Wall make the Barn™ a perfect choice for children of various ages. As always, the tower contains 3,00 m many safety components and can be extended endlessly with all the Jungle Gym Modules and 4,20 m 2,00 m 332_100 accessories. For an extension to this tower, see 332_200 page 25. 332_300 332_400

Farm






401_008 – A robust climbing unit on two levels with domed tent roof. It has two entries to the platform with the possibility to attach two slides, one on each level. Under the platform there is an option to build a veranda, and there's still space for a sandpit.

For an extension to this tower, see page 25.





Mansion



401_009 – An impressive play set with a wooden roof and two platforms. This creates the possibility of a sandpit and a PicNic-table at the same time. Attached to the extra platform there is a Climbing Wall so you can choose to go up and down by ladder or via the Rocks. For an extension to this tower, see page 25.





Fort Incl. • 1 Step Ladder™ Climbing Rocks™ • StarOscope™ **401_010** – A very complete, robust tower 3,00 m with a lot of fun facilities and an option to make a PicNic-table under the tower. For an extension to this tower, see page 25. 3,00 m 4,30 m 332_100 2,00 m 332_200 332_300 332_300 332_400

Chalet



is room for a sandpit or there is an option to make a PicNic-table. Hardware for the PicNictable is included.

For an extension to this tower, see page 25.



2,00 m⁻

Barrack Steering Wheel™ • Talking Tube™ **401_016** – A tough tower with a large 3,10 m platform, great balcony and lots of fun accessories already included. The domeshaped roof suits even larger children and underneath the platform you can make either 3,00 m a sandpit or a PicNic-table. For an extension to this tower, see page 25. 4,20 m 332_100 2,10 m 332_200 332_300 332_400

Incl. Climbing Rocks™ • 1 Step Ladder™ • Climbing Rope™ **401_020** – A spacious tower with domed tent roof, which gives taller children plenty of standing room. There is space for a sandpit under the platform. For an extension to this tower, see page 25. 3,00 m 4,10 m 332_100 332_200 1,70 m 332_300 332_400

Lodge





Incl.

- 1 Step Ladder™
- StarOscope™
- Steering Wheel™

401_040 – A large tower that comes with loads of built-in fun which offers your children years of garden fun. There is room for a sandpit under the platform.

For an extension to this tower, see page 25.








Shelter **401_065** – A classic climbing tower. Suitable 2,90 m for any garden, because of its simplicity and compact size. An innovative, layered structure for the wooden roof is used. A sandpit can be created underneath the tower for more fun. 3,00 m As always, the tower contains many safety components and can be attached with most of 4,00 m the Jungle Gym Modules and accessories. 332_100 1,60 m 332_200 For an extension to this tower, see page 25. 332_300 332_400

Cubby Incl. Steering Wheel™ Climbing Rocks™ **401_070** – An adventurous and daring tower 3,00 m with two floors and a Climbing Wall instead of a ladder to combine challenge with fun. You can make a sandpit underneath if you like. For an extension to this tower, see page 25. 3,00 m 4,20 m 332_100 332_200 1,50 m 332_300 332_400




Hut[™]..... Jungle Gym 💽 **401_100** – A compact tower with a platform 2,90 m height of 1,25 m. For an extension to this tower, see page 25. 2,40 m 3,20 m 322_100 322_200 1,60 m ___ 322_300 322_400




a sandpit under the platform. The ladder is at the side.

For an extension to this tower, see page 25.

















use the Jungle Gym accessories of your choice on this add-on swing.







extension for every Jungle Gym tower. This module consists of a suspension bridge and a small tower. The small tower includes on one side a ramp with rope, and on the other side a climbing wall.



into a two story play house with window and door. The Play House Module[™] can be assembled on every Jungle Gym tower (except on the Barrack[™]).

Rock Module ™





450_200 – Children love climbing. With the rocks you can make a challenging climbing wall on which your children can climb into their tower. This module can be attached to all the climbing towers.

1Step Module





450_300 – For even more climbing fun, you can extend your tower with a rope ladder or a 1-step ladder. Ideal for the older children.

This module can be attached to all the climbing towers.



Tic Tac Toe Module ™



450_310 – An extension to your tower with a game.

This module can be attached to all the climbing towers.






Bucket Module Bucket Module

450_320 – A safe and a fun way to hoist a bucket with sand and toys to the platform and down again. This module can be attached to all the climbing towers.





—Talking Tube™



This module can be attached to all the climbing towers.





Accessories









PeekOscope[™] 201_295



Swing Seat™

201_070







Slides

3,00 m

Jungle Gym slides are available in different colours and lengths. For each tower you can choose your slide. The long slides can be attached to a tower with a 1,45 m platform height, a short slide to a tower with a 1,25 m platform height.

2.40 m

0,50 m

332_100 332_200

332_300 332 400



Palace[™]

Size: 2,10 x 1,80 x 3,80m Slide Platform: 0,85 x 1,50m Platform 2: 0,65 x 1,50m Inclusive: 1 Step Ladder™, Climbing Rocks™, PeekOscope™ Option: PicNicset



Barn'

Size: $1,90 \times 2,00 \times 3,20m$ Slide Platform: $0,80 \times 1,60m$ Inclusive: Climbing RocksTM, Steering WheelTM Platform: $0,65 \times 1,60m$



Size: 2,00 x 1,70 x 2,70m Slide Platform: 1,35 x 1,30m Inclusive: Climbing Rocks™, 1 Step Ladder™, Climbing Rope™




LodgeTM Size: 1,70 x 1,60 x 2,90m

Size: 1,70 x 1,60 x 2,90m Slide Platform: 1,25 x 1,20m Inclusive: 1 Step LadderTM, StarOscopeTM, Steering WheelTM



2,40 m





Size: 2,00 x 1,60 x 3,20m Slide Platforms: 0,95 x 1,40m & 0,80 x 1,40m Inclusive: Climbing Rocks™, PeekOscope™



Size: 1,50 x 1,60 x 2,90m Slide Platform: 1,05 x 1,20m





Farm

Size: 2,00 x 1,60 x 3,20m Slide Platforms: 0,95 x 1,40m & 0,80 x 1,40m Inclusive: Climbing Rocks™, PeekOscope™



Mansion'

Size: 1,90 x 2,20 x 3,20m Slide Platform: 1,05 x 1,00m Inclusive: Climbing Rocks™, Bucket Module™, Steering Wheel Platform: 1,05 x 1,00m Option: PicNicset



Size: 2,10 x 2,00 x 3,00m Slide Platform: 1,45 x 1,40m Inclusive: 1 Step Ladder™ Climbing Rocks™, Starscope™
Option: PicNicset



Size: 1,80 x 2,00 x 3,10m Slide Platform: 1,45 x 1,40m Inclusive: Bucket Module™, Fun Phone™, Steering Wheel™ Option: PicNicset



Size: 1,60 x 2,10 x 3,10m Slide Platform: 1,90 x 1,30m Inclusive: Steering WheelTM,
Talking TubeTM
Option: PicNicset



Cabin[®]

Size: 1,40 x 1,40 x 3,00m Slide Platform: 1,25 x 1,20m Inclusive: StarOscope™



Shelter™

Size: 1,60 x 1,60 x 2,90m Slide Platform: 1,45 x 1,05m



Cubby

Size: 1,80 x 1,50 x 3,00m Slide Platform: 0,65 x 1,20m Platform 2: 1,20 x 1,10m Inclusive: Steering Wheel™, Climbing Rocks™



Cottage■

Size: 1,50 x 1,60 x 2,80m Slide Platform: 1,20 x 1,05m





Size: 1,40 x 1,50 x 3,00m Slide Platform: 0,95 x 1,10m



Castle[™]

Size: 1,20 x 1,50 x 2,90m Slide Platform: 1,10 x 0,90m



Tower

Size: 1,10 x 0,90 x 2,10m Slide Platform: 0,80 x 0,65m



Size: 2,40 x 2,40 x 2,30m Slide Platform: 1,40 x 0,60m Inclusive: Swing Seat™, Climbing Rocks™



TIMBER







The durability of your play set depends for a great deal on the timber you choose. We recommend pinewood, either naturally resistant to wood-rot and insect damage or pressure treated.

TIMBER MEASUREMENTS

The quantity of the timber depends on the available widths and lengths at your retailer.

Due to the content of the hardware package you have the possibility to use timber dimensions to suit your wishes/requirements for building a sturdy climbing frame. To build a safe play set the measurements should be within the margins given.

QUALITY OF TIMBER

Make sure to check your timber for the absence of large knots. We also recommend buying on four sides sanded and planed beams and boards.



COMMERCIAL PLAYGROUNDS

Robust & Durable





Hy-land is especially designed for:

RESTAURANTS HOTELS STORES
DAY CARE CENTRES SPORT CLUBS
CAMPSITES COMMUNITY AREAS





PROJECTS

Hy-land provides a large range of Projects to turn your available space into a unique and challenging playground. Hy-land's biggest Project can accommodate up to 12 children at a time. Any Hy-land Project is robust and durable. Smartly designed and easily installed due to its modular character: all designs are based on two basic frames.

QUALITY

The heavy-duty Hy-land components and hardware meet the highest standards and are regularly tested for strength and durability. They are weather resistant and galvanised coated. Hy-land playgrounds are easily installed and require low maintenance.

VALUE

Hy-land is the effective way to create a high quality playground suitable for a commercial application that fits any budget. Hy-land is a truly affordable choice.

HY-LAND PROJECTS FIT ANY LOCATION, PLAYGROUND AREA AND BUDGET!



SAFETY

Hy-land playgrounds are carefully engineered to ensure optimum safety. All are type-approved by TÜV Rheinland, Germany according to European Standard EN 1176 for use on public playgrounds. To administer the required periodical inspection and maintenance services, a logbook template is provided.

SURFACE

All play equipment must be installed over a shock-absorbing playground area surface according to European Standard EN 1177.

For extra safe and secure anchoring of your entire Hy-land to a non-paved construction site, additional Anchor Sets are available. These are specially designed to stabilise your Hy-land playground easily.



CONTENT

- Owner manual
- Logbook template
- Polyamide bolt covers
- Rough-coated steel handgrips
- Climbing rocks
- Steel roof mounting brackets
- Non-slip coated ladder rungs
- Multi-purpose brackets
- Triple-coated hardware
- Dedicated tools
- Sandbox ground and top cover
- 3D leveller tool
- Aluminium ID-plate
- Drilling and spacing tool
- Hy-Slide™ mounting hardware





HY-SLIDE™


Each Project comes with a Hy-Slide™. Its mounting hardware secures this heavy-duty slide to both the 1,50 m high platform and the construction site. The use of UV-resistant HDPE structural foam enables the Hy-Slide™ to withstand the rigorous use on commercial playgrounds.

PROJECT 1





3-12 year
4 children
ca 4h by 2 pers
4,00 x 1,50 x 2,30 m
1,50 m



			Conte	ent				Extra
Kit					A b C . 4			
Project	Α	В	С	Hy-Slide	Timber	Playground area**	Anchor Set non-paved con- struction site***	Concrete
1	1	-	1	1	0,35 m³	44 m²	2 sets	90 liter (≈175 kg)

^{***} Shock absorbing properties of playground area surface should comply with EN 1177. (e.g., rubber, mulch, sand, grass, gravel rated for a fall height ≥ 1,5 m)
*** For paved construction sites additional anchoring hardware is required: (e.g., chemical anchors, expanding plugs/bolts).


PROJECT 2





CERT.NO.S60026325

User age	3-12 year
Users	4 children
Assembly time	ca 5h by 2 pers
Dimension	4,00 x 1,80 x 3,20 m
Platform height	1,50 m



			Conte	ent				Extra
		Kit					A	
Project	Α	В	С	Hy-Slide	Timber	Playground area**	Anchor Set non-paved con- struction site***	Concrete
2	-	1	1	1	0,42 m³	44 m²	2 sets	90 liter (≈175 kg)

^{***} Shock absorbing properties of playground area surface should comply with EN 1177. (e.g., rubber, mulch, sand, grass, gravel rated for a fall height ≥ 1,5 m)


*** For paved construction sites additional anchoring hardware is required: (e.g., chemical anchors, expanding plugs/bolts).

PROJECT 3





User age	3-12 year
Users	5 children
Assembly time	ca 6h by 2 pers
Dimension	4,15 x 3,00 x 3,20 m
Platform height	1,50 m



			Conte	nt				Extra
		Kit					A b C 4	
Project	Α	В	С	Hy-Slide	Timber	Playground area**	Anchor Set non-paved con- struction site***	Concrete
3	1	1	1	1	0,63 m³	56 m²	3 sets	120 liter (≈230 kg)


^{**} Shock absorbing properties of playground area surface should comply with EN 1177. (e.g., rubber, mulch, sand, grass, gravel rated for a fall height \geq 1,5 m)
*** For paved construction sites additional anchoring hardware is required: (e.g., chemical anchors, expanding plugs/bolts).







User age	3-12 year
Users	6 children
Assembly time	ca 11h by 2 pers
Dimension	7,00 x 1,80 x 3,20 m
Platform height	1,50 m



			Conte	nt				Extra
		Kit					A b C 4	
Project	Α	В	С	Hy-Slide	Timber	Playground area**	Anchor Set non-paved con- struction site***	Concrete
4	1	2	1	1	0,95 m³	61 m²	4 sets	150 liter (≈290 kg)

^{***} Shock absorbing properties of playground area surface should comply with EN 1177. (e.g., rubber, mulch, sand, grass, gravel rated for a fall height ≥ 1,5 m)


*** For paved construction sites additional anchoring hardware is required: (e.g., chemical anchors, expanding plugs/bolts).

PROJECT 5





User age	3-12 year
Users	6 children
Assembly time	ca 10h by 2 pers
Dimension	5,50 x 3,15 x 3,20 m
Platform height	1,50 m



			Conte	ent				Extra
	Kit			A b C . 4				
Project	Α	В	c	Hy-Slide	Timber	Playground area**	Anchor Set non-paved con- struction site***	Concrete
5	2	1	1	1	0,87 m³	67 m²	4 sets	150 liter (≈290 kg)


^{***} Shock absorbing properties of playground area surface should comply with EN 1177. (e.g., rubber, mulch, sand, grass, gravel rated for a fall height \geq 1,5 m)
*** For paved construction sites additional anchoring hardware is required: (e.g., chemical anchors, expanding plugs/bolts).





CERT.NO.S60026325

User age	3-12 year
Users	8 children
Assembly time	ca 13h by 2 pers
Dimension	7,15 x 3,15 x 3,20 m
Platform height	1,50 m




			Conte	ent				Extra		
	Kit		Kit						A	
Project	Α	В	С	Hy-Slide	Timber	Playground area**	Anchor Set non-paved con- struction site***	Concrete		
6	2	2	1	1	1,17 m³	77 m²	5 sets	180 liter (≈175 kg)		

^{***} Shock absorbing properties of playground area surface should comply with EN 1177. (e.g., rubber, mulch, sand, grass, gravel rated for a fall height ≥ 1,5 m)

*** For paved construction sites additional anchoring hardware is required: (e.g., chemical anchors, expanding plugs/bolts).



User age	3-12 year
Users	10 children
Assembly time	ca 16h by 2 pers
Dimension	7,00 x 4,80 x 3,20 m
Platform height	1,50 m



Content							Extra		
	Kit					A b C 4			
Project	Α	В	С	Hy-Slide	Timber	Playground area**	Anchor Set non-paved con- struction site***	Concrete	
7	3	2	1	1	1,40 m³	94 m²	6 sets	210 liter (≈400 kg)	


** Shock absorbing properties of playground area surface should comply with EN 1177. (e.g., rubber, mulch, sand, grass, gravel rated for a fall height ≥ 1,5 m)
*** For paved construction sites additional anchoring hardware is required: (e.g., chemical anchors, expanding plugs/bolts).





CERT.NO.S60026325

User age 3-12 year 12 children Users Assembly time ca 24h by 2 pers Dimension 7,15 x 4,80 x 3,20 m Platform height 1,50 m



Content						Extra		
		Kit					A b C 4	
Project	Α	В	С	Hy-Slide	Timber	Playground area**	Anchor Set non-paved con- struction site***	Concrete
8	3	3	1	1	1,70 m³	94 m²	7 sets	240 liter (≈460 kg)

^{***} Shock absorbing properties of playground area surface should comply with EN 1177. (e.g., rubber, mulch, sand, grass, gravel rated for a fall height ≥ 1,5 m)
*** For paved construction sites additional anchoring hardware is required: (e.g., chemical anchors, expanding plugs/bolts).







HY-LAND

Dealerstamp:



Hy-land B.V. P.O. Box 75083 NL 1070 AB Amsterdam The Netherlands

info@hy-land.eu

WWW.HY-LAND.EU

Specifications are subject to change without notice. Subject to alterations and printing errors. Product may differ from the pictures. Availability of Hy-land products may vary between countries and distributors. © 2010 Hy-land B.V. Amsterdam